2000 CHEVROLET BLAZER
MIDDLE EAST
CS10506 – 2WD – 4 DOOR UTILITY

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Auxiliary Floor Mats, Rear	S
	Battery - 525 Cold Cranking Amps	S
	Brakes: Four Wheel Anti-Lock, Power	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray	S
	Defogger, Side Windows	S
	Driver/Passenger Air Bags	S
	Front License Plate Bracket	S
	Front Suspension: Independent, Torsion Bar, Monotube Shock Absorbers	S
	Fuel Tank, 17.5 Gallon Capacity	S
	Glass, Tinted, Solar-Ray	S
	Grab Handles, Front and Rear Passenger	S
	Grill: Chrome, with Composite Headlamps	S
	Intermittent Windshield Wipers	S
	Lamp, Engine Compartment	S
	Lamps, Door Operated Dome & Front Floor Courtesy	S
	Rear Hatch Release, Electric	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-Floating Axle, 2 Stage Multi-leaf Springs, Monotube Shock Absorbers	S
	Brake/Transmission Interlock	S
	Seating, 5 Passenger	S
	Side Guard Door Beams	S
	Spare Tire, Underbody Mounted	S
	Stabilizer Bar, Front and Rear	S
	Tow Hooks, Front (2)	S
	Warning Device, Headlamps-On Buzzer	S
B30	Floor Covering, Carpeted	S
B32	Auxiliary Floor Mats, Front	S
C5C	GVW Rating: 5000 lbs (2268 kgs)	S
C60	Air Conditioning	S
D44	Mirrors: Outside, Rearview, LH/RH, Manual Control, Color (Black)	S
E55	End Gate Body	S
JC1	Brake, 4 Wheel Disk	S
K60	Generator: 100 Amp	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER

2000 CHEVROLET BLAZER
MIDDLE EAST
CS10506 – 2WD – 4 DOOR UTILITY

OPT	PACKAGED EQUIPMENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
L35	Engine: 4.3L, V6, CPi	X
M30	Transmission: 4 Speed Automatic with Overdrive	X
GU6	Axle Ratio: 3.42:1	X
AV5	Seats: Front Bucket, High Back	X
C25	Wiper System: Rear Window	X
DD0	Mirrors: Outside, Rearview, LH/RH, Remote, Electric, Heated, Light Sensitive (Drivers Side Only), Color (Black)	X
DH6	Mirror, Inside, Front, Vanity, LH/RH, Sunshade, Illuminated	X
DK7	Overhead Console: Includes Compass and Outside Temperature	X
K53	Fuel Sender Assembly: Low Lubricity	X
NP8	Active Transfer Case: Electronic Shift	X
QCE	Tires: P205/75R15/N Blackletter	U
UA1	Battery: Heavy Duty	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Equalizer, Clock.	X
UL2	European Radio Frequency.	X
V54	Roof Luggage Carrier	X
YC5	Mid-Level Package: Includes: (AP9) Convenience Net, (B84) Exterior Bodyside Molding, (NP5) Leather Wrapped Steering Wheel, (N90) Aluminum Wheels, (RYJ) Retractable Cargo Area Cover.	X
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	X
ZQ1	Chassis Package: Smooth Ride	U
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	X
ZQ6	Convenience Package III: Includes (A31)Power Windows. (AU3)Door Locks, (DD0)Electric Outside Rearview Mirrors	X

X = Included in Select-A-Unit Do Not Delete **-- = Not Available**
U = Upgradeable Option May Be Deleted if Substitute Option is Specified

2000 CHEVROLET BLAZER
MIDDLE EAST
CS10506 – 2WD – 4 DOOR UTILITY

	REQUIRED REGULATORY & PROCESSING CONTENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
A26	Glass: European Glazing	**X**
EXP	Processing Option: GMODC, Export	**X**
NF2	Emissions System: Federal, Tier 1	**X**
NM8	Leaded Fuel Provisions	**X**
R6K	Processing Option: Middle East	**X**
T62	Daytime Running Lights - Delete	**X**
U16	Tachometer	**X**
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	**X**
UD4	Overspeed Warning Device	**X**
V87	Vehicle Certification Label - GCC	**X**
VC5	Shipping Label: Export	**X**
VPH	Export Preparation: Includes (BAG) Loose Parts Boxing, (VR6) Tie Down Hook	**X**
Z5X	Label: Outside Mirrors, Arabic Language	**X**

	AVAILABLE OPTIONAL EQUIPMENT	
QBF	Tires: 235/70R15 BW. **Requires** Z85	**A**
Z85	Chassis Package: Increased Capacity. **Requires** QBF Tires	**A**

X = Included in Select-A-Unit Do Not Delete **-- = Not Available** **A = Available**

2000 CHEVROLET BLAZER
MIDDLE EAST
CS10506 – 2WD – 4 DOOR UTILITY

ZY1 PAINT APPLICATION

YC5 MODEL OPTION

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC5	High Back Buckets	Premium Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Light Pewter (Met)	11U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Onyx Black	41U	X	X	X
Summit White	50U	X	X	X
Meadow Green (Met)	68U	X	X	X
Victory Red	74U	X	X	X
Tint Red	86U	X	X	X
Dark Cherry Red (Met)	94U	X	X	X

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CS10516 – 2WD – 2 DOOR

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Auxiliary Floor Mats, Rear	S
	Battery - 525 Cold Cranking Amps	S
	Brakes: Four Wheel Anti-Lock, Power	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray	S
	Defogger, Side Windows	S
	Driver/Passenger Air Bags	S
	Front License Plate Bracket	S
	Front Suspension: Independent, Torsion Bar, Monotube Shock Absorbers	S
	Fuel Tank, 17.5 Gallon Capacity	S
	Glass, Tinted, Solar-Ray	S
	Grab Handles, Front and Rear Passenger	S
	Grill: Chrome, with Composite Headlamps	S
	Intermittent Windshield Wipers	S
	Lamp, Engine Compartment	S
	Lamps, Door Operated Dome & Front Floor Courtesy	S
	Rear Hatch Release, Electric	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-Floating Axle, 2 Stage Multi-leaf Springs, Monotube Shock Absorbers	S
	Brake/Transmission Interlock	S
	Seating, 5 Passenger	S
	Side Guard Door Beams	S
	Stabilizer Bar, Front and Rear	S
	Tow Hooks, Front (2)	S
	Warning Device, Headlamps-On Buzzer	S
B30	Floor Covering, Carpeted	S
B32	Auxiliary Floor Mats, Front	S
C3G	GVW Rating: 4450 lbs (2019 kgs)	S
C60	Air Conditioning	S
D44	Mirrors: Outside, Rearview, LH/RH, Manual Control, Color (Black)	S
E55	End Gate Body	S
K60	Generator: 100 AMP	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CS10516 – 2WD – 2 DOOR

OPT	PACKAGED EQUIPMENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
L35	Engine: 4.3L, V6, CPi, Gas	X
M50	Transmission: 5 Speed Manual. **Requires** QBF tires and Z85 Chassis pkg.	U
GU6	Axle Ratio: 3.42:1	X
AG1	Seat Adjuster: Driver, 6 Way, Power	X
AV5	Seats: Front, High Back Bucket, Reclining	X
C25	Rear Wiper/Washer	X
C49	Rear Window Defogger, Electric	X
D55	Console	X
DD0	Mirrors: Outside, Rearview, LH/RH, Remote Control, Electric, Heated, Light Sensitive (Drivers Side Only) Color (Black)	X
DH6	Mirror, Inside, Front, Vanity, LH/RH, Sunshade, Illuminated	X
DK7	Overhead Console: **Includes** Compass and Outside Temperature	X
K53	Fuel Sender Assembly: Low Lubricity	X
QBF	Tires: P205/70R15 Blackwall, ALS. **Requires** M50 Transmission and Z85 Chassis Pkg.	U
UA1	Battery: Heavy Duty	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Equalizer, Clock	X
UL2	Radio Frequency: European	X
YC3	Mid-Level Trim: Includes (AM7) Rear Folding Seat, (NP5) Leather Wrapped Steering Wheel, (N60) Painted Aluminum Wheel	X
Z85	Chassis Package: Increased Capacity. **Requires** with M50 Trans. and QBF tires	U
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	X
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	X
ZQ6	Convenience Package III: Includes (A31) Power Windows. (AU3) Door Locks, (DD0) Electric Outside Rearview Mirrors	X

X = Included in Select-A-Unit Do Not Delete
U = Upgradeable Option May Be Deleted if Substitute Option is Specified
-- = Not Available

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CS10516 – 2WD – 2 DOOR

OPT	REQUIRED REGULATORY & PROCESSING CONTENT	
	SELECT-A-UNIT CODE	**1R6K**
	PREFERRED EQUIPMENT GROUP CODE	**1SA**
A26	Glass: European Glazing	**X**
EXP	Processing Option: GMODC, Export	**X**
NF2	Federal Emissions	**X**
NM8	Leaded Fuel Provisions	**X**
R6K	Processing Option	**X**
T62	Daytime Running Lights, Delete	**X**
U16	Tachometer	**X**
UC2	Speedometer: Kilo/Mile, Kilo Odometer, Positive Bias	**X**
UD4	Overspeed Warning Device	**X**
V87	Vehicle Certification Label	**X**
VC5	Shipping Label	**X**
VPH	Export Preparation: Includes (BAG) Loose Parts Box, (VR6) Tie Down Hook	**X**
Z5X	Arabic Mirrors	**X**

AVAILABLE OPTIONAL EQUIPMENT		
M30	Transmission: Automatic, 4 Speed, Electronic. **Requires** QCE Tires and Z83 Chassis Pkg.	**A**
QCE	Tires: P205/75R15/N Blackletter. **Requires** Z83 Chassis Package and M30 Trans.	**A**
Z83	Chassis Package: Solid Smooth Ride. **Requires** QCE Tires and M30 Trans.	**A**

X = Included. Do Not Delete **-- = Not Available** **A = Available**

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CS10516 – 2WD – 2 DOOR

ZY1 PAINT APPLICATION

YC3 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC3	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Light Pewter (Met)	11U	X	X	X
Space Blue	23U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Onyx Black	41U	X	X	X
Summit White	50U	X	X	X
R				
Medium Beige Mystique (Met)	65U	X	X	X
Meadow Green (Met)	68U	X	X	X
Victory Red	74U	X	X	X
Dark Cherry Red (Met)	94U	X	X	X

2000 CHEVROLET BLAZER
MIDDLE EAST
CT10506 – 4WD – 4 DOOR UTILITY

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Auxiliary Floor Mats, Rear	S
	Battery - 525 Cold Cranking Amps	S
	Brakes: Four Wheel Anti-Lock, Power	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray	S
	Defogger, Side Windows	S
	Driver/Passenger Air Bags	S
	Front License Plate Bracket	S
	Front Suspension: Independent, Torsion Bar, Monotube Shock Absorbers	S
	Fuel Tank, 17.5 Gallon Capacity	S
	Glass, Tinted, Solar-Ray	S
	Grab Handles, Front and Rear Passenger	S
	Grill: Chrome, with Composite Headlamps	S
	Intermittent Windshield Wipers	S
	Lamp, Engine Compartment	S
	Lamps, Door Operated Dome & Front Floor Courtesy	S
	Rear Hatch Release, Electric	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-Floating Axle, 2 Stage Multi-leaf Springs, Monotube Shock Absorbers	S
	Brake/Transmission Interlock	S
	Seating, 5 Passenger	S
	Side Guard Door Beams	S
	Spare Tire, Underbody Mounted	S
	Stabilizer Bar, Front and Rear	S
	Tow Hooks, Front (2)	S
	Warning Device, Headlamps-On Buzzer	S
AM7	Rear Seat, Folding	S
B30	Floor Covering, Carpeted	S
B32	Auxiliary Floor Mats, Front	S
C3T	GVW Rating: 5350 lbs (2427 kgs)	S
C60	Air Conditioning	S
D44	Mirrors: Outside, Rearview, LH/RH, Manual Control, Color (Black)	S
E55	End Gate Body	S
JC1	Brake, 4 Wheel Disk	S
K60	Generator: 100 Amp	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER

2000 CHEVROLET BLAZER
MIDDLE EAST
CT10506 – 4WD – 4 DOOR UTILITY

OPT	PACKAGED EQUIPMENT			
	SELECT-A-UNIT CODE	1R6K	2R6K	3R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB	1SC
L35	Engine: 4.3L, V6, CPi	X	X	X
M50	Transmission: 5 Speed Manual. Includes (D55) Console, (G80) Limited Slip Differential	X	U	U
GU6	Axle Ratio: 3.42:1	X	X	X
AV5	Seats: Front Bucket, High Back	X	X	--
AN3	Seat, Front Bucket, Driver, Passenger Electric Body Support, Heated. Includes Driver/ Passenger 8 way Power Seat Adjuster with Driver 2-Position Memory. **Requires** Leather Trim	--	--	X
C25	Wiper System: Rear Window	--	X	X
DH6	Mirror, Inside, Front, Vanity, LH/RH, Sunshade, Illuminated	--	X	X
D44	Mirrors: Outside, Rearview, Color (Black)	X	--	--
DD0	Mirrors: Outside, Rearview, LH/RH, Remote, Electric, Heated, Light Sensitive (Drivers Side Only), Color (Black)	--	X	X
DK7	Overhead Console: Includes Compass and Outside Temperature	--	X	X
K53	Fuel Sender Assembly: Robust Fuel System	X	X	X
NP8	Active Transfer Case: Electronic Shift	X	X	X
QCE	Tires: P205/75R15/N Blackletter	U	--	--
QLN	Tires: 235/70R15-103H BW	--	X	X
UA1	Battery: Heavy Duty	X	X	X
UL2	European Radio Frequency.	X	X	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Equalizer, Clock.	X	X	X
V54	Roof Luggage Carrier	X	X	X
ZE5	Base Level Trim	X	--	--
YC5	Mid-Level Package: Includes: (AP9) Convenience Net, (B84) Exterior Bodyside Molding, (NP5) Leather Wrapped Steering Wheel, (N90) Aluminum Wheels, (RYJ) Retractable Cargo Area Cover.	--	X	--
YC6	Up-Level Package: Includes (AN3) Front Bucket Seats,(AP9) Convenience Net, (B84) Exterior Bodyside Molding, (NP5) Leather Wrapped Steering Wheel, (N90) Aluminum Wheels, (RYJ) Retractable Cargo Area Cover.	--	--	X
ZQ1	Chassis Package: Smooth Ride	U	--	--
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	X	X	X
ZQ6	Convenience Package III: Includes (A31) Power Windows. (AU3)Door Locks, (DD0) Electric Outside Rearview Mirrors	--	X	X
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	--	X	X
Z85	Chassis Package: Increased Capacity	--	X	X

X = Included in Select-A-Unit Do Not Delete **-- = Not Available**
U = Upgradeable Option May Be Deleted if Substitute Option is Specified

2000 CHEVROLET BLAZER
MIDDLE EAST
CT10506 – 4WD – 4 DOOR UTILITY

	REQUIRED REGULATORY & PROCESSING CONTENT			
	SELECT-A-UNIT CODE	1R6K	2R6K	3R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB	1SC
EXP	Processing Option: GMODC, Export	X	X	X
A26	Glass: European Glazing	X	X	X
NF2	Emissions System: Federal, Tier 1	X	X	X
NM8	Leaded Fuel Provisions	X	X	X
R6K	Processing Option: Middle East	X	X	X
T62	Daytime Running Lights - Delete	X	X	X
UD4	Overspeed Warning Device	X	X	X
U16	Tachometer	X	X	X
UC2	Speedometer: Kilo/Miles, Kilo Odometer, Positive Bias	X	X	X
VC5	Shipping Label: Export	X	X	X
VPH	Export Preparation: Includes (BAG) Loose Parts Boxing, (VR6) Tie Down Hook	X	X	X
V87	Vehicle Certification Label - GCC	X	X	X
Z5X	Label: Outside Mirrors, Arabic Language	X	X	X

	AVAILABLE OPTIONAL EQUIPMENT			
AU0	Remote Keyless Entry	--	A	A
CF5	Sun Roof: Glass, Electric, Sliding. Includes (DH6) Inside Sunshade, LH/RH, Illuminated	--	A	A
C25	Wiper System: Rear Window. **Requires** ZM8	A	--	--
C49	Rear Window Defogger, Electric. **Requires** ZM8	A	---	---
C68	Air Conditioner, Front, Automatic, Electronic Controls	--	--	A
G80	Limited Slip Differential: 'Positraction'. **Included** with M50, **Available** with M30	--	A	A
M30	Transmission: 4 Speed Automatic with Overdrive. Includes (D07) Custom Console	--	A	A
N90	Wheels: 15 x 7, Aluminum Cast	A	--	--
QLN	Tires: 235/70R15-103H BW. **Requires** Z85	A	--	--
Z82	Trailering Package	A	A	A
Z85	Chassis Package: Increased Capacity. **Requires** QLN Tires	A	--	--
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger. **Requires** C49	A	--	--

X = Included in Select-A-Unit Do Not Delete **-- = Not Available** **A = Available**

2000 CHEVROLET BLAZER
MIDDLE EAST
CT10506 – 4WD – 4 DOOR UTILITY

ZY1 PAINT APPLICATION

ZE5 MODEL OPTION

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
ZE5	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Light Pewter (Met)	11U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Onyx Black	41U	X	X	X
Summit White	50U	X	X	X
R				
Meadow Green (Met)	68U	X	X	X
Victory Red	74U	X	X	X
Tint Red	86U	X	X	X
Dark Cherry Red (Met)	94U	X	X	X

YC5 MODEL OPTION

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC5	High Back Buckets	Premium Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Light Pewter (Met)	11U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Onyx Black	41U	X	X	X
Summit White	50U	X	X	X
R				
Meadow Green (Met)	68U	X	X	X
Victory Red	74U	X	X	X
Tint Red	86U	X	X	X
Dark Cherry Red (Met)	94U	X	X	X

2000 CHEVROLET BLAZER
MIDDLE EAST
CT10506 – 4WD – 4 DOOR UTILITY

ZY1 PAINT APPLICATION

YC6 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC6	Bucket Seats	Custom Leather	AN3	122	642	922

Exterior Paint Color	Code	Available Combinations 12	64	92	Standard Upper Body Striping
Light Pewter (Met)	11U	X	X	X	(91A)Spectre Gary
Indigo Blue	39U	X	---	---	(96A) Silver
	39U	---	X	---	(61A) Gold Met
	39U	---	---	X	(11A) Pewter
Onyx Black	41U	X	---	---	(96A) Silver Met
	41U	---	X	---	(61A) Gold (Met)
	41U	---	---	X	(11A) Pewter (Met)
Summit White	50U	X	---	---	(91A) Specter Gray
	50U	---	X	---	(65A) Gold (Met)
	50U	---	---	X	(90A) Medium Gray
R					
R					
R					
Meadow Green Metallic	68U	X	---	---	(11A) Pewter
	68U	---	X	---	(55A) Lt. Autumnwood (Met)
	68U	---	---	X	(11A) Pewter
Victory Red	74U	X	---	---	(91A) Specter Gray
	74U	---	X	---	(61A) Gold Met
	74U	---	---	X	(11A) Pewter
Tint Red	86U	X	---	---	(91A) Spectre Gray
	86U	---	X	---	(61A) Gold Met
	86U	---	---	X	(11A) Pewter
Dark Cherry Red (Met)	94U	X	---	---	(96A) Silver
	94U	---	X	---	(61A) Gold (Met)
	94U	---	---	X	(11A) Pewter

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CT10516 – 4WD – 2 DOOR

OPT CODE	STANDARD EQUIPMENT	
	Armrests, Padded, Left Hand and Right Hand Doors	S
	Auxiliary Floor Mats, Rear	S
	Battery - 525 Cold Cranking Amps	S
	Brakes: Four Wheel Anti-Lock, Power	S
	Cargo Tie Downs (4)	S
	Cigarette Lighter and Ashtray	S
	Defogger, Side Windows	S
	Driver/Passenger Air Bags	S
	Front License Plate Bracket	S
	Front Suspension: Independent, Torsion Bar, Monotube Shock Absorbers	S
	Fuel Tank, 17.5 Gallon Capacity	S
	Glass, Tinted, Solar-Ray	S
	Grab Handles, Front and Rear Passenger	S
	Grill: Chrome, with Composite Headlamps	S
	Intermittent Windshield Wipers	S
	Lamp, Engine Compartment	S
	Lamps, Door Operated Dome & Front Floor Courtesy	S
	Rear Hatch Release, Electric	S
	Rear Seat Heating Duct	S
	Rear Suspension: Semi-Floating Axle, 2 Stage Multi-leaf Springs, Monotube Shock Absorbers	S
	Brake/Transmission Interlock	S
	Seating, 5 Passenger	S
	Side Guard Door Beams	S
	Stabilizer Bar, Front and Rear	S
	Tow Hooks, Front (2)	S
	Warning Device, Headlamps-On Buzzer	S
AM7	Rear Seat, Folding	S
B30	Floor Covering, Carpeted	S
B32	Auxiliary Floor Mats, Front	S
C6i	GVW Rating: 4850 lbs (2200 kgs)	S
C60	Air Conditioning	S
D44	Mirrors: Outside, Rearview, LH/RH, Manual Control, Color (Black)	S
E55	End Gate Body	S
K60	Generator: 100 AMP	S
N40	Power Steering	S
PH1	Wheels: 15x7, Steel	S

THESE OPTIONS ARE FOR YOUR INFORMATION ONLY AND MUST NOT BE PLACED ON ORDER.

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CT10516 – 4WD – 2 DOOR

OPT	PACKAGED EQUIPMENT			
	SELECT-A-UNIT CODE	1R6K	2R6K	3R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB	1SC
L35	Engine: 4.3L, V6, CPi, Gas	X	X	X
M50	Transmission: 5 Speed Manual - **Includes** G80 Limited Slip Axle	U	U	U
GU6	Axle Ratio: 3.42:1	X	X	--
GT4	Axle Ratio: 3.73:1	--	--	X
AG1	Seat Adjuster: Driver, 6 Way, Power	--	X	X
AM7	Rear Folding Bench Seat	X	X	X
AP9	Convenience Net	--	X	X
AV5	Seats: Front, High Back Bucket, Reclining	X	X	X
C25	Rear Wiper/Washer	X	X	X
C49	Rear Window Defogger, Electric	X	--	--
C5C	GVW Rating: 5000 lbs (2268 kgs)	--	--	X
C60	Air Conditioning: Front	X	X	X
C6i	GVW Rating: 4850 lbs (2200 kgs)	X	X	--
D44	Mirrors: Outside, Rearview, Body Color	X	--	--
D55	Console	X	X	X
DD0	Mirrors: Outside, Rearview, LH/RH, Remote Control, Electric, Heated, Light Sensitive (Drivers Side Only) Color (Black)	--	X	X
DH6	Mirror, Inside, Front, Vanity, LH/RH, Sunshade, Illuminated	--	X	X
DK7	Overhead Console: **Includes** Compass and Outside Temperature	--	X	X
K53	Fuel Sender Assembly: Robust Fuel System	X	X	X
NP5	Steering Wheel: Leather Wrapped	--	X	X
NP8	Transfer Case: Electronic Shift	X	X	X
QCE	Tires: 205/75R15/N Blackletter	U	--	--
QEB	Tires: P235/75R15 WOL OOR	--	X	--
QJJ	Tires: 31x10.5R15LT/C	--	--	X
UA1	Battery: Heavy Duty	X	X	X
UL0	Radio: AM/FM Stereo, Seek/Scan, Cassette, Equalizer, Clock	X	X	X
UL2	Radio Frequency: European	X	X	X
YC3	Mid-Level Trim	--	X	X
Z83	Chassis Package: Smooth Ride	U	--	--
ZE5	Base Trim	X	--	--
ZM5	Underbody Shield Package	--	--	X
ZM6	On-Off Road Suspension Package	--	X	--
ZM8	Combination Package: Includes Tailgate Release/Rear Defogger	X	X	X
ZQ3	Convenience Package II: Includes (N33) Tilt Steering Wheel (K34) Electronic Speed Control	X	X	X
ZQ6	Convenience Package III Includes (A31) Power Windows. (AU3) Door Locks, (DD0) Electric Outside Rearview Mirrors	--	X	X
ZR2	Chassis Package: Hi-Wider 4X4 Sport	--	--	X

X = Included in Select-A-Unit Do Not Delete
U = Upgradeable Option May Be Deleted if Substitute Option is Specified
-- = Not Available

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CT10516 – 4 WD – 2 DOOR

OPT	REQUIRED REGULATORY & PROCESSING CONTENT			
	SELECT-A-UNIT CODE	1R6K	2R6K	3R6K
	PREFERRED EQUIPMENT GROUP CODE	1SA	1SB	1SC
EXP	Processing Option: GMODC, Export	X	X	X
A26	Glass: European Glazing	X	X	X
NF2	Federal Emissions	X	X	X
NM8	Leaded Fuel Provisions	X	X	X
R6K	Processing Option	X	X	X
T62	Daytime Running Lights, Delete	X	X	X
UD4	Overspeed Warning Device	X	X	X
U16	Tachometer	X	X	X
UC2	Speedometer: Kilo/Mile, Kilo Odometer, Positive Bias	X	X	X
VC5	Shipping Label	X	X	X
VPH	Export Preparation: Includes (BAG) Loose Parts Box, (VR6) Tie Down Hook	X	X	X
V87	Vehicle Certification Label	X	X	X
Z5X	Arabic Mirrors	X	X	X

AVAILABLE OPTIONAL EQUIPMENT				
AU0	Remote Keyless Entry	--	A	A
G80	Limited Slip Differential: 'Positraction'. **Included** with M50. **Available** with M30	A	A	A
M30	Transmission: 4 Speed Automatic with Overdrive	A	A	A
QLN	Tires: 235/70R15-103H Blackwall. **Requires** Z85 Chassis Package	A	--	--
Z85	Chassis Package: Increased Capacity. **Requires** QLN Tires	A	--	--
ZM5	Underbody Shield Package	A	A	--

X = Included. Do Not Delete
-- = Not Available
A = Available

2000 CHEVROLET BLAZER
MIDDLE EAST
MODEL CT10516 – 4 WD – 2 DOOR

ZY1 PAINT APPLICATION

ZE5 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
ZE5	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Light Pewter (Met)	11U	X	X	X
Space Blue	23U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Onyx Black	41U	X	X	X
Summit White	50U	X	X	X
R				
Medium Beige Mystique (Met)	65U	X	X	X
Meadow Green (Met)	68U	X	X	X
Victory Red	74U	X	X	X
Dark Cherry Red (Met)	94U	X	X	X

YC3 Model Option

	Seat Ordering Information			Interior Trim		
Model Option	Type	Seat Material	Option Code	Graphite	Beige	Pewter
YC3	High Back Buckets	Custom Cloth	AV5	12H	64H	92H

Exterior Paint Colour	Code	Available Combinations		
Light Pewter (Met)	11U	X	X	X
Space Blue	23U	X	X	X
Indigo Blue (Met)	39U	X	X	X
Onyx Black	41U	X	X	X
Summit White	50U	X	X	X
R				
Medium Beige Mystique (Met)	65U	X	X	X
Meadow Green (Met)	68U	X	X	X
Victory Red	74U	X	X	X
Dark Cherry Red (Met)	94U	X	X	X

DATE: February 14, 2000
REVISION NO: 00-3

GENERAL MOTORS OVERSEAS DISTRIBUTION CORPORATION

2000

UPDATE

CHEVROLET

BLAZER

TRUCK TECHNICAL PAGES

Attached is revision 00-3 of the Light Duty Truck Technical Pages.

The information contained in the Technical Pages is confidential and should not be disclosed to unauthorized persons or used for non-business purposes.

MODEL SELECTION SUMMARY

SERIES	MODEL NUMBER/ BODY CODE	PASSENGER CAPACITY (STD/OPT)	STANDARD ENGINE/ TRANS	OPTIONAL ENGINE/ TRANS	GVWR KG (LB)	GAWR KG (LB) FRONT/ REAR	MAXIMUM PAYLOAD KG (LB)	MAX GROSS TRAILER WT/ TONGUE LOAD KG (LB)
TWO-WHEEL-DRIVE MODELS								
2-DOOR	S10516/E55/ Z85/QBF/QBG	4/2	4300 V6/A4	4300 V6/M5	2019 (4450)	907/1179 (2200/2600)	334 (736)	2676/* (5900)
4-DOOR	S10506/TB4/ ZW7/QBF/QBG or Z85/QBF/QBG	6/5	4300 V6/A4	—	2268 (5000)	1134/1225[1] (2500/2700)	482 (1063)	2676/* (5900)
FOUR-WHEEL-DRIVE MODELS								
2-DOOR	T10516/E55/ Z85/QBF/QBG/ QEB or ZM6/QEB or ZR2/QJJ	4/2	4300 V6/A4	4300 V6/M5	2200 (4850)	1134/1225 (2500/2700)	380 (838)	2540/* (5600)
4-DOOR	T10506/TB4/ ZW7/QBF/ QBG or Z85/QBF/ QBG/QEB	6/5	4300 V6/A4	—	2427 (5350)	1270/1225[2] (2800/2700)	504 (1111)	2540/* (5600)

[1] Rear GAWR on Z85 models is 1270 kg (2800 lb).
[2] Rear GAWR on Z85 Models is 1315 kg (2900 lb).
N/A–Not available at time of publication.
*Trailer tongue weight should be 10 to 15% of total loaded trailer weight (up to 750 lbs).

POWERTRAIN

ENGINE	
	VORTEC 4300 V6
Order Code	L35
SAE Net Kilowatts @ rpm (Horsepower @ rpm)	142 @ 4400 (190 @ 4400)
SAE Net Torque N-m @ rpm (lb-ft @ rpm)	339 @ 2800 (250 @ 2800)
Fuel System	SFI
Clutch Size mm (in.)	—
Standard Delco Freedom Battery (12-volt negative ground) Cold Cranking Amps @ -17.8° C (0° F)	690
Standard Delcotron Alternator Maximum Capacity Amps	100

TRANSMISSIONS		
	MANUAL 5-SPEED W/OVERDRIVE	**ELECTRONIC AUTOMATIC 4-SPEED W/OVERDRIVE AND TORQUE CONVERTER CLUTCH (4L60-E)**
Transmission Order Code	M50	M30 (Standard)
Synchronized Speeds	1, 2, 3, 4, 5	—
Gear Ratios		
First	3.49	3.06
Second	2.16	1.63
Third	1.40	1.00
Fourth	1.00	0.70
Fifth	0.78	—
Reverse	3.55	2.29
Shaft Centre Distance mm (in.)	85	—
Availability	2-Door Models	All Models

POWERTRAIN (CONT'D)

AXLES

	REAR AXLE					FRONT AXLE		
Availability	4x2 Models		4x4 Models			4x4 Models		
Make	GM		GM			GM		
Capacity kg (lb)	1315 (2900)		1315 (2900)			T10516-1179 (2600) T10506-1225 (2700)		
Pinion and Ring Gear Type	Hypoid		Hypoid			Hypoid		
Axle Ratio Code	GU4 (Std. Equip.)	GU6[2]	GU4 (Std. Equip.)	GU6[2]	GT4[3]	GU4	GU6	GT4
Ratio	3.08	3.42	3.08	3.42	3.73	3.08	3.42	3.73
Pinion Teeth	13	12	13	12	11	13	12	11
Ring Gear Teeth	40	41	40	41	41	40	41	41
Ring Gear Diameter mm (in.)	194 (7.62)	194 (7.62)[1]	194 (7.62)	194 (7.62)[3]	194 (7.62)	184 (7.25)	184 (7.25)	184 (7.25)

[1] L35 with M50 transmission uses a 216mm (8.5 inch) ring gear.
[2] GU6 axle with M50 transmission requires locking differential (G80).
[3] Requires locking differential (G80).

BRAKES

Type	Power; Vacuum; Self-adjusting 4-Wheel Anti-Lock
Application	All Models
Front Rotor Size mm (in.)	Disc 275x 36.6 (10.82 x 1.44)
Rear Size mm (in.)	Disc 295x 47.5 (11.6 x 1.87)
Booster Type	Dual Diaphram-Vacuum
Parking Brake Type Operation	 Drum in Hat Pedal

TIRES

KEY: AS = ALL-SEASON SBR = STEEL-BELTED RADIAL PLY BW = BLACKWALL WW = WHITEWALL WL = WHITE LETTERED HWY = HIGHWAY BL = BLACK LETTERED ON-OFF = ON-OFF ROAD WOL = WHITE OUTLINE LETTERED

TIRE DESCRIPTION		ORDERING CODE	
		TIRES W/COMPACT SPARE	TIRES W/FULL-SIZE SPARE
P235/70R15	AS/SBR/BW	QBF (Std. Equip.)	QBF & ZBF[1, 2]
P235/70R15	AS/SBR/WOL	QBG	QBG & ZBG[1,2]
P235/75R15	ON-OFF/SBR/WOL	QEB	QEB & ZEB[3]
31X10.5R5LTC	OOR/SBR/BW	N/A	QJJ & ZJJ

[1] Requires P16 for full-size spare tire on T10516.
[2] Full-size spare tire not available on S10516.
[3] Full-size spare tire is optional on T10506 and included on T10516.

STANDARD CHASSIS FEATURES

ENGINE BLOCK HEATER	
EXHAUST SYSTEM	
Type	Aluminized stainless steel
FRAME	
Type	All-welded ladder-type extended with boxed rails
Material	Carbon steel
Yield Strength	36,000 PSI
FUEL TANK	
Location	
S/T10516	Mounted between frame rails behind the rear axle (includes shield)
S/T10506	Mounted between frame rails, left-hand side ahead of rear axle (includes shield)
Fill Provisions	Door type, left-hand fill
Capacity	
S/T10516	72 litres (15.8 imperial gal)
S/T10506	68 litres (15.0 imperial gal)
GVWR	
C3G	
S10516	2019 kg (4450 lb)
C6I	
S10506	2200 kg (4850 lb)
C5C	
T10516	2268 kg (5000 lb)
C3T	
T10506	2426 kg (5350 lb)
STEERING	
Type	Integral Power, Variable Ratio

SUSPENSION, FRONT	Independent
Capacity	
S10516	998 kg (2200 lb)
S10506	1134 kg (2500 lb)
T10516	1134 kg (2500 lb)
T10506	1270 kg (2800 lb)
2WD springs	Coil
Capacity	
S10516	499 kg (1100 lb) each
S10506	567 kg (1250 lb) each
4WD springs	Torsion Bars
Capacity	
T10516	567 kg (1250 lb) each
T10506	635 kg (1400 lb) each
Shock absorbers	
ZW7/Z85/ZM6/ZR2	46mm(1.81") piston diameter
Stabilizer bar	Drop link design 33mm (1.3") diameter
SUSPENSION, REAR	
Springs	Two-stage multileaf
S10516/T10516	585 kg (1300 lb) each
T10516 w/ Z85/ZM6/ZR2	612 kg (1350 lb) each
S10506/T10506	612 kg (1350 lb) each
S10506 w/Z85	635 kg (1400 lb) each
Shock absorbers	
ZW7/Z85/ZM6/ZR2	46mm (1.81") piston diameter
Stabilizer bar	Drop link design
2WD w/Z85/ZW7	23mm (0.91") diameter
4WD w/ZW7/ZM6/ZR2	23mm (0.91") diameter
4WD w/Z85	26mm (1.02") diameter
TRANSFER CASE	
Type/Model	Part-time/New Process 233
Availability	T10516/T10506 w/YC6
Controls	Dash-Mounted Electronic Shift
WHEELS	
Type	Four disc
Size	381mm x 178mm (15" x 7")
Attachment	5 bolts on 120.6mm (4.75") circle

DIMENSIONS

MODEL	2-WHEEL DRIVE		4-WHEEL DRIVE		
MODEL NUMBER	S10516/E55	S10506/E55	T10516/E55	T10506/E55	T10516/E55/ ZR2
EXTERIOR DIMENSIONS					
BODY					
Wheelbase mm (in.)	2553 (100.5)	2718 (107.0)	2553 (100.5)	2718 (107.0)	2553 (100.5)
Overall Length mm (in.)	4491 (176.8)	4656 (183.3)	4491 (176.8)	4656 (183.3)	4491 (176.8)
Overall Height mm (in.)	1648 (64.9)	1633 (64.3)	1638 (64.5)	1631 (64.2)	1638 (64.5)
Maximum Width mm (in.)	1722 (67.8)	1722 (67.8)	1722 (67.8)	1722 (67.8)	1816 (71.5)
Bumper to Axle mm (in.)					
Front	879 (34.6)	879 (34.6)	879 (34.6)	879 (34.6)	879 (34.6)
Rear	1057 (41.7)	1059 (41.7)	1059 (41.7)	1059 (41.7)	1059 (41.7)
Ground to Top of Rear Load Floor mm (in.)	759 (29.9)	757 (29.8)	749 (29.5)	747 (29.4)	749 (29.5)
Ground Clearance mm (in.)					
Front	216 (8.4)	216 (8.4)	211 (8.3)	211 (8.3)	234 (9.2)
Rear	206 (8.1)	193 (7.6)	203 (8.0)	191 (7.5)	226 (8.9)
Turning Diameter					
Curb-to-Curb m (ft)	10.6 (34.8)	11.2 (36.6)	10.7 (35.2)	12.0 (39.5)	N/A
SIGN PANEL AREA mm (in.)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)	381 x 1175 (15 x 46.25)
INTERIOR DIMENSIONS					
CAB					
Headroom mm (in.)					
Front	1006 (39.6)	1006 (39.6)	1006 (39.6)	1006 (39.6)	1006 (39.6)
Rear	973 (38.3)	973 (38.3)	973 (38.3)	973 (38.3)	973 (38.3)
Legroom mm (in.)					
Front	1077 (42.4)	1077 (42.4)	1077 (42.4)	1077 (42.4)	1077 (42.4)
Rear	904 (35.6)	922 (36.3)	904 (35.6)	922 (36.3)	904 (35.6)
Shoulder Room mm (in.)					
Front	1466 (57.7)	1453 (57.2)	1466 (57.7)	1453 (57.2)	1466 (57.7)
Rear	1412 (55.6)	1453 (57.2)	1412 (55.6)	1453 (57.2)	1412 (55.6)
Hip Room mm (in.)					
Front	1321 (52.0)	1361 (52.0)	1321 (52.0)	1321 (52.0)	1321 (52.0)
Rear	1029 (40.5)	1303 (51.3)	1029 (40.5)	1303 (51.3)	1029 (40.5)
Cargo Volume w/Rear Seat Litres (cu ft)[1]	855 (30.2)	1056 (37.3)	855 (30.2)	1056 (37.3)	855 (30.2)
Cargo Volume w/ Rear Seat Folded Litres (cu ft)	1894 (66.9)	2098 (74.1)	1894 (66.9)	2098 (74.1)	1894 (66.9)
Load Floor Length w/Rear Seat mm (in.)					
@ Beltline	724 (28.5)	892 (35.1)	724 (28.5)	892 (35.1)	724 (28.5)
@ Floor	894 (35.2)	1029 (40.5)	894 (35.2)	1029 (40.5)	894 (35.2)
Load Floor Length w/Rear Seat Folded mm (in.)					
@ Beltline	1628 (64.1)	1793 (70.6)	1628 (64.1)	1793 (70.6)	1628 (64.1)
@ Floor	1730 (68.1)	1895 (74.6)	1730 (68.1)	1895 (74.6)	1730 (68.1)
Maximum Cargo Width @ Floor mm (in.)	1349 (53.1)	1349 (53.1)	1349 (53.1)	1349 (53.1)	1349 (53.1)
Between Wheelhousings mm (in.)	968 (38.1)	968 (38.1)	968 (38.1)	968 (38.1)	968 (38.1)
Cargo Area Height mm (in.)	876 (34.5)	879 (34.6)	876 (34.5)	879 (34.6)	876 (34.5)

N/A—Not available at time of publication.
[1] Measured floor to roof.